







1.25 Type Housing




2P









3P




Poles	Part No.		Dimensions	
			A	B
2	WB1251-H02	1.25-2Y	1.25	4.25
3	WB1251-H03	1.25-3Y	2.5	5.5
4	WB1251-H04	1.25-4Y	3.75	6.75
5	WB1251-H05	1.25-5Y	5	8
6	WB1251-H06	1.25-6Y	6.25	9.25
7	WB1251-H07	1.25-7Y	7.5	10.5
8	WB1251-H08	1.25-8Y	8.75	11.75
9	WB1251-H09	1.25-9Y	10	13
10	WB1251-H10	1.25-10Y	11.25	14.25
11	WB1251-H11	1.25-11Y	12.5	15.5
-	-	-	-	-
25	WB1251-H20	1.25-20Y	30	33

1	Housing	PA66 (UL94V-0/V-2)	1	
No.	Item/Material No.	Material	QTY	Remark
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd		
X. ° ±3°	X. X° ±0.5°			
>0-3	>3-18	>18-50	>50-120	
Unit	Scale	Design Unit	Size	Part No.
mm	—	Metric	A4	
Draw	Review	Approve	Material	Drawing No.
			Item	1.25-NY

1.25 Type Terminal






1	Terminal	Phosphor Bronze	1	
No.	Item/Material No.	Material	QTY	Remark
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd		
X. ° ±3° X. X° ±0.5°				
>0-3	>3-18	>18-50	>50-120	
±0.12	±0.15	±0.3	±0.5	
Unit	Scale	Design Unit	Size	Part No.
mm	—	Metric	A4	
Draw	Review	Approve	Material	Drawing No.
				Part No.
			Item	1.25-T

15 14 13 12 11 10 9 8 7 6 5 4 3 2 1


1.25 Type Wafer

M
L
K
J
H
G
F
E
D
C
B
A




M
L
K
J
H
G
F
E
D
C
B
A



PCB Layout






Poles	Part No.		Dimensions	
			A	B
2	WB1251-PT02	1.25-2A	1.25	4.25
3	WB1251-PT03	1.25-3A	2.5	5.5
4	WB1251-PT04	1.25-4A	3.75	6.75
5	WB1251-PT05	1.25-5A	5	8
6	WB1251-PT06	1.25-6A	6.25	9.25
7	WB1251-PT07	1.25-7A	7.5	10.5
8	WB1251-PT08	1.25-8A	8.75	11.75
9	WB1251-PT09	1.25-9A	10	13
10	WB1251-PT10	1.25-10A	11.25	14.25
11	WB1251-PT11	1.25-11A	12.5	15.5
-	-	-	-	-
25	WB1251-PT20	1.25-20A	30	33


2	Pin	Phosthor Bronze	N						
1	Wafer	PA66 (UL94V-0/V-2)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	 
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.			Part No.		
							Item	1.25-NA	

15 14 13 12 11 10 9 8 7 6 5 4 3 2 1




1.25 Type Wafer






PCB Layout




Poles	Part No.		Dimensions	
			A	B
2	WB1251-PTB02	1.25-2AC	1.25	4.25
3	WB1251-PTB03	1.25-3AC	2.5	5.5
4	WB1251-PTB04	1.25-4AC	3.75	6.75
5	WB1251-PTB05	1.25-5AC	5	8
6	WB1251-PTB06	1.25-6AC	6.25	9.25
7	WB1251-PTB07	1.25-7AC	7.5	10.5
8	WB1251-PTB08	1.25-8AC	8.75	11.75
9	WB1251-PTB09	1.25-9AC	10	13
10	WB1251-PTB10	1.25-10AC	11.25	14.25
11	WB1251-PTB11	1.25-11AC	12.5	15.5
-	-	-	-	-
25	WB1251-PTB20	1.25-20AC	30	33

2	Pin	Phosthor Bronze	N						
1	Wafer	PA66 (UL94V-0/V-2)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	 
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.	Part No.				
				Item	1.25-NAC				

1.25 Type Wafer






PCB Layout




Poles	Part No.		Dimensions	
			A	B
2	WB1251-PS02	1.25-2AW	1.25	4.25
3	WB1251-PS03	1.25-3AW	2.5	5.5
4	WB1251-PS04	1.25-4AW	3.75	6.75
5	WB1251-PS05	1.25-5AW	5	8
6	WB1251-PS06	1.25-6AW	6.25	9.25
7	WB1251-PS07	1.25-7AW	7.5	10.5
8	WB1251-PS08	1.25-8AW	8.75	11.75
9	WB1251-PS09	1.25-9AW	10	13
10	WB1251-PS10	1.25-10AW	11.25	14.25
11	WB1251-PS11	1.25-11AW	12.5	15.5
-	-	-	-	-
25	WB1251-PS20	1.25-20AW	30	33

2	Pin	Phosthor Bronze	N						
1	Wafer	PA66 (UL94V-0/V-2)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.		Part No.			
				Item	1.25-NAW				


1.25 Type Wafer




2P




3P






4P-25P



PCB Layout



Poles	Part No.		Dimensions	
			A	B
2	WB1251-PSB02	1.25-2AWC	1.25	4.25
3	WB1251-PSB03	1.25-3AWC	2.5	5.5
4	WB1251-PSB04	1.25-4AWC	3.75	6.75
5	WB1251-PSB05	1.25-5AWC	5	8
6	WB1251-PSB06	1.25-6AWC	6.25	9.25
7	WB1251-PSB07	1.25-7AWC	7.5	10.5
8	WB1251-PSB08	1.25-8AWC	8.75	11.75
9	WB1251-PSB09	1.25-9AWC	10	13
10	WB1251-PSB10	1.25-10AWC	11.25	14.25
11	WB1251-PSB11	1.25-11AWC	12.5	15.5
-	-	-	-	-
25	WB1251-PSB20	1.25-20AWC	30	33

2	Pin	Phosthor Bronze	N						
1	Wafer	PA66 (UL94V-0/V-2)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X ° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	 
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.			Part No.		
				Item	1.25-NAWC				