







Poles	Part No.		Dimensions	
			A	B
4	WB2002-H02x2	DF11-2x2Y	2	5.9
6	WB2002-H03x2	DF11-2x3Y	4	7.9
8	WB2002-H04x2	DF11-2x4Y	6	9.9
10	WB2002-H05x2	DF11-2x5Y	8	11.9
12	WB2002-H06x2	DF11-2x6Y	10	13.9
14	WB2002-H07x2	DF11-2x7Y	12	15.9
16	WB2002-H08x2	DF11-2x8Y	14	17.9
18	WB2002-H09x2	DF11-2x9Y	16	19.9
20	WB2002-H10x2	DF11-2x10Y	18	21.9
22	WB2002-H11x2	DF11-2x11Y	20	23.9
-	-	-	-	-
40	WB2002-H20x2	DF11-2x20Y	38	41.9

1	Housing	PA66(UL94V-0V-2)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X.° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	 
±0.12	±0.15	±0.3	±0.5	mm	——	Metric	A4		
Draw	Review	Approve	Material	Drawing No.				Part No.	
				Item	PHD-2xNY				



1	WB2002-TP2	Phospher Bronze	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	 
±0.12	±0.15	±0.3	±0.5	mm	——	Metric	A4		
Draw	Review	Approve	Material	Drawing No.				Part No.	
				Item	PHD-T				






Poles	Part No.		Dimensions	
			A	B
4	WB2002-PS02x2	PHD-2x2AWD	2	6
6	WB2002-PS03x2	PHD-2x3AWD	4	8
8	WB2002-PS04x2	PHD-2x4AWD	6	10
10	WB2002-PS05x2	PHD-2x5AWD	8	12
12	WB2002-PS06x2	PHD-2x6AWD	10	14
14	WB2002-PS07x2	PHD-2x7AWD	12	16
16	WB2002-PS08x2	PHD-2x8AWD	14	18
18	WB2002-PS09x2	PHD-2x9AWD	16	20
20	WB2002-PS10x2	PHD-2x10AWD	18	22
22	WB2002-PS11x2	PHD-2x11AWD	20	24
-	-	-	-	-
40	WB2002-PS20x2	PHD-2x20AWD	38	42

No.	Item/Material No.	Material	QTY	Remark
1	Housing	PA66 (UL94V-0/V-2)	1	White
2	Pin	Tin Plated Brass	N	

Unmarked Tolerance					Yueqing Hegxing Electronics Co., Ltd				
X. ° ±3° X. X° ±0.5°					HEGX				
>0-3	>3-18	>18-50	>50-120		Unit	Scale	Design Unit	Size	Part No.
±0.12	±0.15	±0.3	±0.5		mm	—	Metric	A4	
Draw	Review	Approve	Material	Drawing No.	Part No.				
				Item	PHD-2xNAWD				



Poles	Part No.		Dimensions	
			A	B
4	WB2002-PSB02x2	PHD-2x2AW	2	6
6	WB2002-PSB03x2	PHD-2x3AW	4	8
8	WB2002-PSB04x2	PHD-2x4AW	6	10
10	WB2002-PSB05x2	PHD-2x5AW	8	12
12	WB2002-PSB06x2	PHD-2x6AW	10	14
14	WB2002-PSB07x2	PHD-2x7AW	12	16
16	WB2002-PSB08x2	PHD-2x8AW	14	18
18	WB2002-PSB09x2	PHD-2x9AW	16	20
20	WB2002-PSB10x2	PHD-2x10AW	18	22
22	WB2002-PSB11x2	PHD-2x11AW	20	24
-	-	-	-	-
40	WB2002-PSB20x2	PHD-2x20AW	38	42

No.	Item/Material No.	Material	QTY	Remark
1	Housing	PA66 (UL94V-0/V-2)	1	White
2	Pin	Tin Plated Brass	N	

Unmarked Tolerance					 Yueqing Hegxing Electronics Co., Ltd				
X. ° ±3°	X. X° ±0.5°								
>0-3	>3-18	>18-50	>50-120		Unit	Scale	Design Unit	Size	Part No.
±0.12	±0.15	±0.3	±0.5		mm	—	Metric	A4	
Draw	Review	Approve	Material	Drawing No.	Part No.				
				Item	PHD-2xNAW				