















XH Type Housing






Poles	Part No.		Dimensions		
			A	B	C
2	WB2501-H02	XH-2Y	2.5	5.7	7.3
3	WB2501-H03	XH-3Y	5	8.2	9.8
4	WB2501-H04	XH-4Y	7.5	10.7	12.3
5	WB2501-H05	XH-5Y	10	13.2	14.8
6	WB2501-H06	XH-6Y	12.5	15.7	17.3
7	WB2501-H07	XH-7Y	15	18.2	19.8
8	WB2501-H08	XH-8Y	17.5	20.7	22.3
9	WB2501-H09	XH-9Y	20	23.2	24.8
10	WB2501-H10	XH-10Y	22.5	25.7	27.3
11	WB2501-H11	XH-11Y	25	28.2	29.8
-	-	-	-	-	-
20	WB2501-H20	XH-20Y	47.5	50.7	52.3


1	Housing	PA66(UL94V-0/V-2)	1	White					
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	 
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.			Part No.		
				Item	XH-NY				

XH Type Terminal




1	WB2501-T	Phospher Bronze	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	 
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.			Part No.		
				Item	XH-T11				




XH Type Wafer




Poles	Part No.		Dimensions	
			A	B
2	WB2501-PT02	XH-2A	2.5	7.5
3	WB2501-PT03	XH-3A	5	10
4	WB2501-PT04	XH-4A	7.5	12.5
5	WB2501-PT05	XH-5A	10	15
6	WB2501-PT06	XH-6A	12.5	17.5
7	WB2501-PT07	XH-7A	15	20
8	WB2501-PT08	XH-8A	17.5	22.5
9	WB2501-PT09	XH-9A	20	25
10	WB2501-PT10	XH-10A	22.5	27.5
11	WB2501-PT11	XH-11A	25	30
-	-	-	-	-
20	WB2501-PT20	XH-20A	47.5	52.5




PCB Layout

2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	 
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.		Part No.			
				Item	XH-NA				

XH Type Wafer







Poles	Part No.		Dimensions	
			A	B
2	WB2501-PT02	XH-2D	2.5	7.5
3	WB2501-PT03	XH-3D	5	10
4	WB2501-PT04	XH-4D	7.5	12.5
5	WB2501-PT05	XH-5D	10	15
6	WB2501-PT06	XH-6D	12.5	17.5
7	WB2501-PT07	XH-7D	15	20
8	WB2501-PT08	XH-8D	17.5	22.5
9	WB2501-PT09	XH-9D	20	25
10	WB2501-PT10	XH-10D	22.5	27.5
11	WB2501-PT11	XH-11D	25	30
-	-	-	-	-
20	WB2501-PT20	XH-20D	47.5	52.5





PCB Layout

2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.	Part No.				
				Item	XH-NA convex pin				

XH Type Wafer



2P







PCB Layout

Poles	Part No.		Dimensions	
			A	B
2	WB2501-PT02-BH	XH-2A-BH	2.5	7.4
3	WB2501-PT03-BH	XH-3A-BH	5	9.9
4	WB2501-PT04-BH	XH-4A-BH	7.5	12.4
5	WB2501-PT05-BH	XH-5A-BH	10	14.9
6	WB2501-PT06-BH	XH-6A-BH	12.5	17.4
7	WB2501-PT07-BH	XH-7A-BH	15	19.9
8	WB2501-PT08-BH	XH-8A-BH	17.5	22.4
9	WB2501-PT09-BH	XH-9A-BH	20	24.9
10	WB2501-PT10-BH	XH-10A-BH	22.5	27.4
11	WB2501-PT11-BH	XH-11A-BH	25	29.9
-	-	-	-	-
16	WB2501-PT16-BH	XH-16A-BH	37.5	42.4

2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.	Part No.				
				Item	XH-NA-BH				



XH Type Wafer








2P

PCB Layout

Poles	Part No.		Dimensions	
			A	B
2	WB2501-PT02-BH-K	XH-2A-BH	2.5	7.4
3	WB2501-PT03-BH-K	XH-3A-BH	5	9.9
4	WB2501-PT04-BH-K	XH-4A-BH	7.5	12.4
5	WB2501-PT05-BH-K	XH-5A-BH	10	14.9
6	WB2501-PT06-BH-K	XH-6A-BH	12.5	17.4
7	WB2501-PT07-BH-K	XH-7A-BH	15	19.9
8	WB2501-PT08-BH-K	XH-8A-BH	17.5	22.4
9	WB2501-PT09-BH-K	XH-9A-BH	20	24.9
10	WB2501-PT10-BH-K	XH-10A-BH	22.5	27.4
11	WB2501-PT11-BH-K	XH-11A-BH	25	29.9
-	-	-	-	-
16	WB2501-PT16-BH-K	XH-16A-BH	37.5	42.4




2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.	Part No.				
				Item	XH-NA-HD convex pin				

XH Type Wafer








PCB Layout

Poles	Part No.		Dimensions	
			A	B
2	WB2501-PTD02	XH-2AD	2.5	7.5
3	WB2501-PTD03	XH-3AD	5	10
4	WB2501-PTD04	XH-4AD	7.5	12.5
5	WB2501-PTD05	XH-5AD	10	15
6	WB2501-PTD06	XH-6AD	12.5	17.5
7	WB2501-PTD07	XH-7AD	15	20
8	WB2501-PTD08	XH-8AD	17.5	22.5
9	WB2501-PTD09	XH-9AD	20	25
10	WB2501-PTD10	XH-10AD	22.5	27.5
11	WB2501-PTD11	XH-11AD	25	30
-	-	-	-	-
20	WB2501-PTD20	XH-20AD	47.5	52.5




2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	 
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.		Part No.			
				Item	XH-NAD				

XH Type Wafer






PCB Layout

Poles	Part No.		Dimensions	
			A	B
2	WB2501-PT02-K	XH-2AD	2.5	7.5
3	WB2501-PT03-K	XH-3AD	5	10
4	WB2501-PT04-K	XH-4AD	7.5	12.5
5	WB2501-PT05-K	XH-5AD	10	15
6	WB2501-PT06-K	XH-6AD	12.5	17.5
7	WB2501-PT07-K	XH-7AD	15	20
8	WB2501-PT08-K	XH-8AD	17.5	22.5
9	WB2501-PT09-K	XH-9AD	20	25
10	WB2501-PT10-K	XH-10AD	22.5	27.5
11	WB2501-PT11-K	XH-11AD	25	30
-	-	-	-	-
20	WB2501-PT20-K	XH-20AD	47.5	52.5

2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	 
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.		Part No.			
				Item	XH-NAD convex pin				

XH Type Wafer






PCB Layout

Poles	Part No.		Dimensions	
			A	B
2	WB2501-PS02	XH-2AWGD	2.5	7.4
3	WB2501-PS03	XH-3AWGD	5	9.9
4	WB2501-PS04	XH-4AWGD	7.5	12.4
5	WB2501-PS05	XH-5AWGD	10	14.9
6	WB2501-PS06	XH-6AWGD	12.5	17.4
7	WB2501-PS07	XH-7AWGD	15	19.9
8	WB2501-PS08	XH-8AWGD	17.5	22.4
9	WB2501-PS09	XH-9AWGD	20	24.9
10	WB2501-PS10	XH-10AWGD	22.5	27.4
11	WB2501-PS11	XH-11AWGD	25	29.9
-	-	-	-	-
20	WB2501-PS20	XH-20AWGD	47.5	52.5



2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.	Part No.				
				Item	XH-NAWGD				

XH Type Wafer








PCB Layout

Poles	Part No.		Dimensions	
			A	B
2	WB2501-PS02-K	XH-2AWGD	2.5	7.4
3	WB2501-PS03-K	XH-3AWGD	5	9.9
4	WB2501-PS04-K	XH-4AWGD	7.5	12.4
5	WB2501-PS05-K	XH-5AWGD	10	14.9
6	WB2501-PS06-K	XH-6AWGD	12.5	17.4
7	WB2501-PS07-K	XH-7AWGD	15	19.9
8	WB2501-PS08-K	XH-8AWGD	17.5	22.4
9	WB2501-PS09-K	XH-9AWGD	20	24.9
10	WB2501-PS10-K	XH-10AWGD	22.5	27.4
11	WB2501-PS11-K	XH-11AWGD	25	29.9
-	-	-	-	-
20	WB2501-PS20-K	XH-20AWGD	47.5	52.5

2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.	Part No.				
				Item	XH-NAWGD convex pin				

XH Type Wafer








PCB Layout

Poles	Part No.		Dimensions	
			A	B
2	WB2501-PSB02	XH-2AW	2.5	7.4
3	WB2501-PSB03	XH-3AW	5	9.9
4	WB2501-PSB04	XH-4AW	7.5	12.4
5	WB2501-PSB05	XH-5AW	10	14.9
6	WB2501-PSB06	XH-6AW	12.5	17.4
7	WB2501-PSB07	XH-7AW	15	19.9
8	WB2501-PSB08	XH-8AW	17.5	22.4
9	WB2501-PSB09	XH-9AW	20	24.9
10	WB2501-PSB10	XH-10AW	22.5	27.4
11	WB2501-PSB11	XH-11AW	25	29.9
-	-	-	-	-
20	WB2501-PSB20	XH-20AW	47.5	52.5

2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.			Part No.		
				Item	XH-NAW				

XH Type Wafer








PCB Layout

Poles	Part No.		Dimensions	
			A	B
2	WB2501-PSB02-K	XH-2AW	2.5	7.4
3	WB2501-PSB03-K	XH-3AW	5	9.9
4	WB2501-PSB04-K	XH-4AW	7.5	12.4
5	WB2501-PSB05-K	XH-5AW	10	14.9
6	WB2501-PSB06-K	XH-6AW	12.5	17.4
7	WB2501-PSB07-K	XH-7AW	15	19.9
8	WB2501-PSB08-K	XH-8AW	17.5	22.4
9	WB2501-PSB09-K	XH-9AW	20	24.9
10	WB2501-PSB10-K	XH-10AW	22.5	27.4
11	WB2501-PSB11-K	XH-11AW	25	29.9
-	-	-	-	-
20	WB2501-PSB20-K	XH-20AW	47.5	52.5




2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.	Part No.				
				Item	XH-NAW convex pin				

XH Type Wafer






PCB Layout

Poles	Part No.		Dimensions	
			A	B
2	WB2501-PSC02	XH-2AWG	2.5	7.4
3	WB2501-PSC03	XH-3AWG	5	9.9
4	WB2501-PSC04	XH-4AWG	7.5	12.4
5	WB2501-PSC05	XH-5AWG	10	14.9
6	WB2501-PSC06	XH-6AWG	12.5	17.4
7	WB2501-PSC07	XH-7AWG	15	19.9
8	WB2501-PSC08	XH-8AWG	17.5	22.4
9	WB2501-PSC09	XH-9AWG	20	24.9
10	WB2501-PSC10	XH-10AWG	22.5	27.4
11	WB2501-PSC11	XH-11AWG	25	29.9
-	-	-	-	-
20	WB2501-PSC20	XH-20AWG	47.5	52.5




2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	 
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.	Part No.				
				Item	XH-NAWG				

XH Type Wafer








PCB Layout

Poles	Part No.		Dimensions	
			A	B
2	WB2501-PSC02-K	XH-2AWG	2.5	7.4
3	WB2501-PSC03-K	XH-3AWG	5	9.9
4	WB2501-PSC04-K	XH-4AWG	7.5	12.4
5	WB2501-PSC05-K	XH-5AWG	10	14.9
6	WB2501-PSC06-K	XH-6AWG	12.5	17.4
7	WB2501-PSC07-K	XH-7AWG	15	19.9
8	WB2501-PSC08-K	XH-8AWG	17.5	22.4
9	WB2501-PSC09-K	XH-9AWG	20	24.9
10	WB2501-PSC10-K	XH-10AWG	22.5	27.4
11	WB2501-PSC11-K	XH-11AWG	25	29.9
-	-	-	-	-
20	WB2501-PSC20-K	XH-20AWG	47.5	52.5

2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	 
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.	Part No.				
				Item	XH-NAWG convex pin				

XH Type Wafer








PCB Layout

Poles	Part No.		Dimensions	
			A	B
2	WB2501-PSD02	XH-2AWGDJ	2.5	7.4
3	WB2501-PSD03	XH-3AWGDJ	5	9.9
4	WB2501-PSD04	XH-4AWGDJ	7.5	12.4
5	WB2501-PSD05	XH-5AWGDJ	10	14.9
6	WB2501-PSD06	XH-6AWGDJ	12.5	17.4
7	WB2501-PSD07	XH-7AWGDJ	15	19.9
8	WB2501-PSD08	XH-8AWGDJ	17.5	22.4
9	WB2501-PSD09	XH-9AWGDJ	20	24.9
10	WB2501-PSD10	XH-10AWGDJ	22.5	27.4
11	WB2501-PSD11	XH-11AWGDJ	25	29.9
-	-	-	-	-
20	WB2501-PSD20	XH-20AWGDJ	47.5	52.5



2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3°	X. X° ±0.5°								
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.	Part No.				
				Item	XH-NAWGDJ				

XH Type Wafer



PCB Layout

Poles	Part No.		Dimensions	
			A	B
2	WB2501-PSD02-K	XH-2AWGDJ	2.5	7.4
3	WB2501-PSD03-K	XH-3AWGDJ	5	9.9
4	WB2501-PSD04-K	XH-4AWGDJ	7.5	12.4
5	WB2501-PSD05-K	XH-5AWGDJ	10	14.9
6	WB2501-PSD06-K	XH-6AWGDJ	12.5	17.4
7	WB2501-PSD07-K	XH-7AWGDJ	15	19.9
8	WB2501-PSD08-K	XH-8AWGDJ	17.5	22.4
9	WB2501-PSD09-K	XH-9AWGDJ	20	24.9
10	WB2501-PSD10-K	XH-10AWGDJ	22.5	27.4
11	WB2501-PSD11-K	XH-11AWGDJ	25	29.9
-	-	-	-	-
20	WB2501-PSD20-K	XH-20AWGDJ	47.5	52.5

2	Pin	Tin Plated Brass	N						
1	Housing	PA9T (UL94V-0)	1						
No.	Item/Material No.	Material	QTY	Remark					
Unmarked Tolerance		 Yueqing Hegxing Electronics Co., Ltd							
X. ° ±3° X. X° ±0.5°									
>0-3	>3-18	>18-50	>50-120	Unit	Scale	Design Unit	Size	Part No.	
±0.12	±0.15	±0.3	±0.5	mm	—	Metric	A4		
Draw	Review	Approve	Material	Drawing No.	Part No.				
				Item	XH-NAWGDJ convex pin				